









ITEM #	IDENT #	SIGN SIZE		TEXT	TEXT DIMENSIONS			SHIELD SIZE (inch)	ARROW (inch)	NUMERAL (inch)	# SIGNS REQ'D	SIGN AREA (SQ. FT.)		POSTS PER SIGN					REMARKS	
		WIDTH (inch)	HEIGHT (inch)		LETTER HEIGHT (inch)	UC	LC					CAPS	NOM AREA	TOTAL AREA	BREAKAWAY	STEEL I-BEAM	CONCRETE BASE	4" OD ALUMINUM		U-CHANNEL-GALV.
615.0301	D10-4(N) 93	18	54		6.6/6 B			13"		6D	113	6.75	762.75				1		GREEN/WHITE/BLUE/RED MM 19.0 TO MM 131.6	
615.0601					6 C						113		762.75							
615.0301	D10-4(S) 93	18	54		6.6/6 B			13"		6D	113	6.75	762.75				1		GREEN/WHITE/BLUE/RED MM 19.0 TO MM 131.6	
615.0601					6 C						113		762.75							
615.0301	D10-5(N) 93	18	60		6.6/6 B			13"		6D	444	7.50	3330.00				1		GREEN/WHITE/BLUE/RED MM 19.0 TO MM 131.6 OMIT THE FOLLOWING: 20.6, 20.8, 21.4, 35.4, 37.2 56.8, 95.2, AND 125.2	
615.0601					6C						444		3330.00							
615.0301	D10-5(S) 93	18	60		6.6/6 B			13"		6D	446	7.50	3345.00				1		GREEN/WHITE/BLUE/RED MM 19.0 TO MM 131.6 OMIT THE FOLLOWING: 21.8, 25.4, 26.2, 37.4, 84.4 95.2 AND 112.2	
615.0601					6C						446		3345.00							
615.0301	D10-4(N) 89	18	54		6.6/6 B			13"		6D	61	6.75	411.75				1		GREEN/WHITE/BLUE/RED MM 0.0 TO 60.6	
615.0601					6 C						61		411.75							
615.0301	D10-4(S) 89	18	54		6.6/6 B			13"		6D	60	6.75	405.00				1		GREEN/WHITE/BLUE/RED MM 0.0 TO 60.6 OMIT THE FOLLOWING: 20	
615.0601					6 C						60		405.00							
615.0301	D10-5(N) 89	18	60		6.6/6 B			13"		6D	239	7.50	1792.50				1		GREEN/WHITE/BLUE/RED MM 0.0 TO 60.6 OMIT THE FOLLOWING: 3.6, 28.6, 30.4 AND 54.2	
615.0601					6C						239		1792.50							
615.0301	D10-5(S) 89	18	60		6.6/6 B			13"		6D	242	7.50	1815.00				1		GREEN/WHITE/BLUE/RED MM 0.0 TO 60.6 OMIT THE FOLLOWING: 0.2	
615.0601					6C						242		1815.00							

GENERAL NOTES

- REFER TO THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION PUBLISHED BY THE NHDOT.
- NOTE NEW REFLECTIVITY REQUIREMENTS IN THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION SECTION 718 PUBLISHED BY THE NHDOT.
- REFER TO THE 2010 STANDARD PLANS FOR ROAD CONSTRUCTION AS PUBLISHED BY THE NHDOT FOR EXACT DETAILS OF PERMANENT SIGNING STANDARDS AND NHDOT SPECIFIC SIGNS.
- REFER TO THE LATEST EDITION OF THE STANDARD HIGHWAY SIGNS MANUAL AS PUBLISHED BY THE USDOT-FHWA FOR EXACT DETAILS OF BORDERS, ETC.
- THE ALUMINUM OR U-CHANNEL POST SHALL BE FLUSH WITH THE TOP OF THE SIGN ON ALL SINGLE POST ASSEMBLIES.
- REFER TO ROUTE MARKER POST ASSEMBLY DETAIL LOCATED IN THE PROPOSAL FOR SIDE BY SIDE ROUTE MARKER SIGN INSTALLATIONS.
- DIGITALLY PRINTED SIGNS WILL BE PERMITTED.

STATE OF NEW HAMPSHIRE

DEPARTMENT OF TRANSPORTATION BUREAU OF HIGHWAY DESIGN

SIGN TEXT LAYOUT

EXCEL FILE NAME

STATE PROJECT NO.

FEDERAL PROJECT NO.

SHEET NO.

TOTAL SHEETS









S:\ProjectDevelopment\Forms\Project\sgntxt-L.xls

43934

X-A005(263)

1

3





ITEM #	IDENT #	SIGN SIZE		TEXT	TEXT DIMENSIONS			SHIELD SIZE (inch)	ARROW (inch)	NUMERAL (inch)	# SIGNS REQ'D	SIGN AREA (SQ. FT.)		POSTS PER SIGN					REMARKS
		WIDTH (inch)	HEIGHT (inch)		UC	LC	CAPS					NOM AREA	TOTAL AREA	BREAKAWAY	STEEL I-BEAM	CONCRETE BASE	4" OD ALUMINUM	U-CHANNEL-GALV.	
615.0301	D10-4(E) 101	18	54		6.6/6 B			13"		6.5C	32	6.75	216.00				1	GREEN/WHITE/BLACK EXISTING MM 100 TO MM 132 = PROP. MM 60.0 TO MM 92.0 OMIT THE FOLLOWING: 86	
615.0601					6 C														8B
615.0301	D10-4(W) 101	18	54		6.6/6 B			13"		6.5C	30	6.75	202.50				1	GREEN/WHITE/BLACK EXISTING MM 100 TO MM 132 = PROP. MM 60.0 TO MM 92.0 OMIT THE FOLLOWING: 86, 89 AND 91	
615.0601					6 C														8B
615.0301	D10-5(E) 101	18	60		6.6/6 B			13"		6.5C	127	7.50	952.50				1	GREEN/WHITE/BLACK EXISTING MM 100 TO MM 132 = PROP. MM 60.0 TO MM 92.0 OMIT THE FOLLOWING: 86.8	
615.0601					6C														8B 8C
615.0301	D10-5(W) 101	18	60		6.6/6 B			13"		6.5C	128	7.50	960.00				1	GREEN/WHITE/BLACK EXISTING MM 132 TO MM 100 = PROP. MM 60.0 TO MM 92.0	
615.0601					6C														8B 8C
615.0301	D10-4(N) 1-293	18	54		6.6/6 B			13"		5C	12	6.75	81.00				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 11.8 OMIT THE FOLLOWING: 3	
615.0601					6 C														8B
615.0301	D10-4(S) 1-293	18	54		6.6/6 B			13"		5C	11	6.75	74.25				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 11.8 OMIT THE FOLLOWING: 0 AND 3	
615.0601					6 C														8B
615.0301	D10-5(N) 1-293	18	60		6.6/6 B			13"		5C	43	7.50	322.50				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 11.8 OMIT THE FOLLOWING: 6.2, 6.4, 11.4, 11.6, 11.8	
615.0601					6C														8B 8C
615.0301	D10-5(S) 1-293	18	60		6.6/6 B			13"		5C	45	7.50	337.50				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 11.8 OMIT THE FOLLOWING: 3.6, 3.8 AND 6.2	
615.0601					6C														8B 8C

GENERAL NOTES

- REFER TO THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION PUBLISHED BY THE NHDOT.
- NOTE NEW REFLECTIVITY REQUIREMENTS IN THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION SECTION 718 PUBLISHED BY THE NHDOT.
- REFER TO THE 2010 STANDARD PLANS FOR ROAD CONSTRUCTION AS PUBLISHED BY THE NHDOT FOR EXACT DETAILS OF PERMANENT SIGNING STANDARDS AND NHDOT SPECIFIC SIGNS.
- REFER TO THE LATEST EDITION OF THE STANDARD HIGHWAY SIGNS MANUAL AS PUBLISHED BY THE USDOT-FHWA FOR EXACT DETAILS OF BORDERS, ETC.
- THE ALUMINUM OR U-CHANNEL POST SHALL BE FLUSH WITH THE TOP OF THE SIGN ON ALL SINGLE POST ASSEMBLIES.
- REFER TO ROUTE MARKER POST ASSEMBLY DETAIL LOCATED IN THE PROPOSAL FOR SIDE BY SIDE ROUTE MARKER SIGN INSTALLATIONS.
- DIGITALLY PRINTED SIGNS SHALL BE PERMITTED.

STATE OF NEW HAMPSHIRE			
DEPARTMENT OF TRANSPORTATION		BUREAU OF HIGHWAY DESIGN	
SIGN TEXT LAYOUT			

EXCEL FILE NAME	STATE PROJECT NO.	FEDERAL PROJECT NO.	SHEET NO.	TOTAL SHEETS
S:\ProjectDevelopment\Forms\Projectsgntxt-I.xls	43934	X-A005(263)	2	3

ITEM #	IDENT #	SIGN SIZE		TEXT	TEXT DIMENSIONS			SHIELD SIZE (inch)	ARROW (inch)	NUMERAL (inch)	# SIGNS REQ'D	SIGN AREA (SQ. FT.)		POSTS PER SIGN					REMARKS
		WIDTH (inch)	HEIGHT (inch)		LETTER HEIGHT (inch)							NOM AREA	TOTAL AREA	BREAKAWAY	STEEL I-BEAM	CONCRETE BASE	4" OD ALUMINUM	U-CHANNEL-GALV.	
					UC	LC	CAPS												
615.0301	D10-4(E) 1-393	18	54		6.6/6 B			13"		5C	5	6.75	33.75				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 4.6	
					6 C														8B
615.0301	D10-4(W) 1-393	18	54		6.6/6 B			13"		5C	4	6.75	27.00				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 4.6 OMIT THE FOLLOWING: 0	
615.0601						6 C													
615.0301	D10-5(E) 1-393	18	60		6.6/6 B			13"		5C	16	7.50	120.00				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 4.6 OMIT THE FOLLOWING: 3.8, 4.4 AND 4.6	
615.0601						6C													
615.0301	D10-5(W) 1-393	18	60		6.6/6 B			13"		5C	19	7.50	142.50				1	GREEN/WHITE/BLUE/RED EXISTING MM 0.0 TO MM 4.6	
615.0601						6C													

GENERAL NOTES

1. REFER TO THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION PUBLISHED BY THE NHDOT.
2. NOTE NEW REFLECTIVITY REQUIREMENTS IN THE 2016 STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION SECTION 718 PUBLISHED BY THE NHDOT.
3. REFER TO THE 2010 STANDARD PLANS FOR ROAD CONSTRUCTION AS PUBLISHED BY THE NHDOT FOR EXACT DETAILS OF PERMANENT SIGNING STANDARDS AND NHDOT SPECIFIC SIGNS.
4. REFER TO THE LATEST EDITION OF THE STANDARD HIGHWAY SIGNS MANUAL AS PUBLISHED BY THE USDOT-FHWA FOR EXACT DETAILS OF BORDERS, ETC.
5. THE ALUMINUM OR U-CHANNEL POST SHALL BE FLUSH WITH THE TOP OF THE SIGN ON ALL SINGLE POST ASSEMBLIES.
6. REFER TO ROUTE MARKER POST ASSEMBLY DETAIL LOCATED IN THE PROPOSAL FOR SIDE BY SIDE ROUTE MARKER SIGN INSTALLATIONS.
7. DIGITALLY PRINTED SIGNS SHALL BE PERMITTED.

STATE OF NEW HAMPSHIRE
DEPARTMENT OF TRANSPORTATION BUREAU OF HIGHWAY DESIGN

SIGN TEXT LAYOUT

EXCEL FILE NAME	STATE PROJECT NO.	FEDERAL PROJECT NO.	SHEET NO.	TOTAL SHEETS
S:\ProjectDevelopment\FORMS\Projectsgntxt-I.xls	43934	X-A005(263)	3	3